

	<b>Safety Data Sheet in accordance with Regulation (EC) No 1907/2006</b>  <b>Kjeldahl tablets ECO</b>	Revision Date: 17/05/2024 Print Date: 27/05/2024 Author: Köhler/Spl Version: 3.1  Page 1 of 10
---	---	---

## SECTION 1: Identification of the substance/mixture and of the company /undertaking

### 1.1. Product identifier

1.1.1. Trade name **Kjeldahl tablets ECO**

1.1.2. Article number **11072630**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use descriptor category:

Life cycle stage (LCS)

Sector of use

PW: Widespread use by professional workers

SU24: Scientific research and development (analytical chemistry)

fine chemical

Technical function

#### 1.2.2. Uses advised against

not known

### 1.3. Details of the supplier of the safety data sheet

BÜCHI Labortechnik AG

Meierseggstrasse 40

CH - 9230 Flawil

Telephone: +41 71 394 63 63

FAX: +41 71 394 65 65

Email: [buchi@buchi.com](mailto:buchi@buchi.com)

e-mail address of the person responsible for  
Safety Data Sheet: [application@buchi.com](mailto:application@buchi.com)

Web: [www.buchi.com](http://www.buchi.com)

### 1.4. Emergency telephone number

Swiss Toxicological Information Centre:  
in Switzerland: 145,  
from abroad: +41 44 251 51 51 (24 h)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### 2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP Regulation)

Aquatic Chronic 3; H412

### 2.2. Label elements

#### 2.2.1. Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

No hazard pictogram.

No signal word.

#### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

##### Prevention:

P273 Avoid release to the environment.

##### Disposal:

P501 Dispose of contents/container to local waste disposal company or to the manufacturer.

### 2.3. Other hazards

The mixture does not meet the criteria for classification as PBT or vPvB substance. The substances in the mixture were not included in the list established in accordance with article 59(1) for having endocrine disrupting properties. The substances are not identified as having endocrine disrupting properties in accordance with the criteria set out in

	<p align="center"><b>Safety Data Sheet in accordance with Regulation (EC) No 1907/2006</b></p> <p align="center"><b>Kjeldahl tablets ECO</b></p>	<p>Revision Date: 17/05/2024 Print Date: 27/05/2024 Author: Köhler/Spl Version: 3.1</p> <p>Page 2 of 10</p>
---	--	---

Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

See also the sections 5, 6, 10, 11, 12, 15.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

The product is a mixture.

#### 3.2. Mixtures

A mixture of potassium sulfate and a small amount of copper (II) sulfate pentahydrate.

Chemical name	CAS Nro	EC No	REACH Registration No	% w/w	Classification according to Regulation (EC) No 1272/2008
potassium sulfate	7778-80-5	231-915-5	01-2119489441-34	≤ 99.95	not classified as hazardous

#### 3.2.1. Hazardous ingredients

Chemical name	CAS Nro	EC No	REACH Registration No	% w/w	Classification according to Regulation (EC) No 1272/2008 (Table 3 of Annex VI)
copper (II) sulfate pentahydrate	7758-99-8	231-847-6	01-2119520566-40	≤ 0.05 (0.03 copper (II)-sulfate)	Acute Tox.4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M=10 M(chronic)=1 oral: ATE=481 mg/kg bw

#### 3.3. Additional information

The text of H-Statements is given in section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### 4.1.1. General informations

Consult doctor in case of pathological signs.

##### 4.1.2. In case of eye contact

Rinse widely opened eye for several minutes (at least 10 min) under running water.

Remove contact lenses. It is advisable to use an eyewash. Further treatment by an ophthalmologist.

##### 4.1.3. In case of skin contact

Remove contaminated clothing immediately and wash affected areas with soap and water.

##### 4.1.4. Following ingestion

Rinse mouth with water and call a doctor! Do not induce vomiting! Encourage to drink water in small sips (dilution effect).

##### 4.1.5. Following inhalation

If inhaling abrasive dust remove victim to fresh air.

##### 4.1.6. Self-protection of the First Aider

Avoid contact with substance still present.

	<p><b>Safety Data Sheet in accordance with Regulation (EC) No 1907/2006</b></p> <p><b>Kjeldahl tablets ECO</b></p>	<p>Revision Date: 17/05/2024 Print Date: 27/05/2024 Author: Köhler/Spl Version: 3.1</p> <p>Page 3 of 10</p>
---	--	---

#### 4.2. Most important symptoms and effects, both acute and delayed

Vomiting, irritation of the respiratory tract.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notify a contact with water-soluble copper compounds.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media:**

water spray, foam, carbon dioxide or extinguishing powder

**Unsuitable extinguishing media:**

not known

#### 5.2. Special hazards arising from the substance or mixture

In a fire corrosive sulfur oxides and hazardous vapors of metal oxides can be released.

#### 5.3. Advice for firefighters

Product is non-combustible, fire-extinguishing measures are to be adapted to surrounding.

**The extinguishing water should not enter the sewage system!**

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid formation of dust. Do not eat or drink when handling Kjeldahl tablets. Always wear gloves, goggles and protective clothing.

#### 6.2. Environmental precautions

Product should not be discharged into drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically, fill in corrosion-resistant containers and then dispose of it.

#### 6.4. Reference to other sections

See sections 4, 7, 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Do not eat or drink when handling Kjeldahl tablets. Use protective gloves, goggles and protective clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Kjeldahl tablets should be stored dry in tightly closed containers, separate from foodstuffs, beverages and animal feedstocks.

Storage class: 13 (non-combustible solids) according to TRGS 510 (Storage of hazardous substances in nonstationary containers), Annex 4.

#### 7.3. Specific end use(s)

For determination of nitrogen by the Kjeldahl method.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

*Potassium sulfate:*

General limit for dust (TRGS 900 (Technical Rules for Hazardous Substances)):

Inhalable fraction (I dust): 10 mg/m<sup>3</sup> (TWA)

Respirable fraction (R dust): 1.25 mg/m<sup>3</sup> (TWA)

*Copper and its inorganic compounds:*

The limit value of 0.01 mg/m<sup>3</sup> (measured on the respirable fraction) is proposed by the MAK Commission of the German Research Foundation (DFG). The MAK value has no legal binding.

	<b>Safety Data Sheet in accordance with Regulation (EC) No 1907/2006</b>  <b>Kjeldahl tablets ECO</b>	Revision Date: 17/05/2024 Print Date: 27/05/2024 Author: Köhler/Spl Version: 3.1  Page 4 of 10

<b>DNEL</b> (systemic)			
All figures are taken from REACH registration dossiers for potassium sulfate and copper sulfate.			
Route	Substance	Worker	General population
Inhalation (Long term exposure)	potassium sulfate	37.6 mg/m <sup>3</sup>	11.1 mg/m <sup>3</sup>
	copper in dust form	1 mg/m <sup>3</sup>	no hazard identified
	copper in fume form	0.1 mg/m <sup>3</sup>	
Dermal (Long term exposure)	potassium sulfate	21.3 mg/kg bw/day	12.8 mg/kg bw/day
	copper (dry) and copper compounds	137 mg/kg bw/day	no hazard identified
Oral (Long term exposure)	potassium sulfate	-	12.8 mg/kg bw/day
	copper in dissolved form	0.041 mg/kg bw/day	0.041 mg/kg bw/day

<b>PNEC</b>		
All figures are taken from REACH registration dossiers for potassium sulfate and copper sulfate.		
Substance	potassium sulfate	copper in dissolved form
Freshwater	0,68 mg/l	7,8 µg/l
Seawater	0,068 mg/l	5,2 µg/l
Sediment (Freshwater)	not sufficiently accurate data available	87 mg/kg sediment dw
Sediment (Seawater)	not sufficiently accurate data available	676 mg/kg sediment dw
Soil	not sufficiently accurate data available	65 mg/kg soil dw

## 8.2. Exposure controls

Ensure good ventilation. Avoid formation of dust.

### 8.2.1. Personal protective equipment

#### 8.2.1.1. Eye / Face protection

Safety glasses required.

#### 8.2.1.2. Respiratory protection

Required when occurrence of dusts (particle filter P2 according to DIN 3181).

#### 8.2.1.3. Skin protection

Chemical protective gloves, e.g. consisting of nitrile rubber (check for damage before use), penetration time (value for permeation: Level 6, > 480 min, EN 374)

### 8.2.2. General health and safety measures

Avoid unnecessary contact with the product.

Wash hands after work, change contaminated clothing.

While using do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Property	Value/Description
Physical state	solid (tablets)
Weight	4.0 g
Colour	white-blue
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined

	<b>Safety Data Sheet in accordance with Regulation (EC) No 1907/2006</b>  <b>Kjeldahl tablets ECO</b>	Revision Date: 17/05/2024 Print Date: 27/05/2024 Author: Köhler/Spl Version: 3.1  Page 5 of 10

Flammability	not applicable, since mixture of solids
Lower and upper explosion limit	see the comments on flammability
Flash point	not applicable, since mixture of inorganic solids
Auto-ignition temperature	not applicable, since mixture of inorganic solids
Decomposition temperature	> 560 °C (Cooper sulfate)
pH	6.25 (at 50 g/l H <sub>2</sub> O) at 20 °C
Kinematic viscosity	not applicable, since mixture of inorganic solids
Solubility	111 g/l H <sub>2</sub> O at 20 °C
Partition coefficient n-octanol/water (log value)	not applicable, since mixture of inorganic solids
Vapour pressure	< 10 <sup>-1</sup> Pa at 20 °C
Density and/or relative density	2.66 g/cm <sup>3</sup> at 20 °C
Bulk density	1204 kg/m <sup>3</sup> at 20 °C
Relativ vapour density	Not applicable, since vapour pressure too low
Particle characteristics	not relevant because pressed tablets are present

## 9.2. Other information

Other physical and chemical properties have not been determined.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No specific reactivity.

### 10.2. Chemical stability

No decomposition when used and stored as intended.

### 10.3. Possibility of hazardous reactions

Not known

### 10.4. Conditions to avoid

The contact with moisture.

### 10.5. Incompatible materials

Alkalies and corrosion sensitive metals.

### 10.6. Hazardous decomposition products

If the product is overheated or in a fire corrosive sulfur oxides and vapors of metal oxides hazardous to health can be released.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data available for the mixture.

#### 11.1.1. Acute toxicity

All figures are taken from REACH registration dossiers for potassium sulfate and copper sulfate.

Acute oral toxicity

Potassium sulfate: LD<sub>50</sub> (rat) > 2000 mg/kg bw (OECD Test guideline 425)

Copper (II) sulfate: LD<sub>50</sub> (rat): 481 mg/kg bw (OECD Test guideline 401)

Acute dermal toxicity

Potassium sulfate: LD<sub>50</sub> (rat) > 2000 mg/kg bw (OECD Test guideline 402)

Copper (II) sulfate: LD<sub>50</sub> (rat) > 2000 mg/kg bw (OECD Test guideline 402 and EPA OTS 789.1100)



**Safety Data Sheet  
in accordance with  
Regulation (EC) No  
1907/2006**

**Kjeldahl tablets  
ECO**

Revision Date: 17/05/2024  
Print Date: 27/05/2024  
Author: Köhler/Spl  
Version: 3.1

Page 6 of 10

Acute inhalation toxicity

Potassium sulfate: LC<sub>0</sub> (rat): 3.6 mg/m<sup>3</sup>/4h (OECD Test guideline 433 draft), read across to Ammonium sulfate

**11.1.2. Skin corrosion/irritation**

The product can cause skin irritations. But the effect does not meet the criteria for classification.

**11.1.3. Serious eye damage/irritation**

The product can cause eye damage.

**11.1.4. Respiratory or skin sensitisation**

Not known.

**11.1.5. Germ cell mutagenicity**

Not known.

**11.1.6. Carcinogenicity**

Not known.

**11.1.7. Reproductive toxicity**

Not known.

**11.1.8. Specific target organ toxicity (single exposure)**

Not known.

**11.1.9. Specific target organ toxicity (repeated exposure)**

Not known.

**11.1.10. Aspiration hazard**

Not known.

**11.2. Information on other hazards**

There are no indications on other hazards.

**SECTION 12: Ecological information**

**12.1. Toxicity**

**12.1.1. Acute aquatic toxicity**

All figures are taken from REACH registration dossiers for potassium sulfate and copper sulfate.

**Toxicity to fish**

*Potassium sulfate*

LC<sub>50</sub> (*Pimephales promelas*, 96 h): 680 mg/l (Test guidelines EPA/600/4-90/027 and EPA/600/6-91/003)

*Copper sulfate*

LC<sub>50</sub> (*Oncorhynchus mykiss*, 96 h): 190 - 210 µg dissolved copper /l

LC<sub>50</sub> (*Pimephales promelas*, 96 h): 390 µg dissolved copper /l

**Toxicity to daphnia**

*Potassium sulfate*

EC<sub>50</sub> (*Daphnia magna*, 48 h): 720 mg/l (Test guidelines EPA/600/4-90/027 and EPA/600/6-91/003)

*Copper sulfate*

EC<sub>50</sub> (*Daphnia magna*, 48 h): 33.8 - 792 µg/l (OECD Test guideline 202, determined in water of different hardness and pH values of 6.1 and 7.35)

**Toxicity to algae**

*Potassium sulfate*

EC<sub>50</sub> (*Chlorella vulgaris*, 18 d): 2700 mg/l (read-across to Ammonium sulfate)

*Copper sulfate*

EC<sub>r50</sub> (*Chlamydomonas reinhardtii*, 96 h): 0.047 mg dissolved copper /l (Growth rate) (OECD Test guideline 201)



	<p><b>Safety Data Sheet in accordance with Regulation (EC) No 1907/2006</b></p> <p><b>Kjeldahl tablets ECO</b></p>	<p>Revision Date: 17/05/2024 Print Date: 27/05/2024 Author: Köhler/Spl Version: 3.1</p> <p>Page 7 of 10</p>
---	--	---

#### 12.1.2. Chronic aquatic toxicity

All figures are taken from REACH registration dossier for copper sulfate.

*Copper sulfate*

NOEC (*Chlamydomonas reinhardtii*, 10 d): 0.022 mg dissolved copper/l (Growth rate) (OECD Test guideline 201)

#### 12.2. Persistence and degradability

Copper is not degraded in soil and water sediments, but is enriched by adsorption.

#### 12.3. Bioaccumulative potential

Since copper is not biodegradable, it is accumulated in the soil. The bioconcentration factor (BCF) obtained for a variety of plants is in the range of 1 and below.

#### 12.4. Mobility in soil

Potassium sulfate has a high mobility due to its good solubility in water.

Copper (II) sulfate has a high solubility in water, but it is adsorbed by the soil and it is subsequently immobilized.

#### 12.5. Results of PBT and vPvB assessment

Not applicable to inorganic substances.

#### 12.6. Endocrine disrupting properties

The substances in the mixture were not included in the list established in accordance with article 59(1) for having endocrine disrupting properties. The substances are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

Not known

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product residues and the packaging must be disposed in accordance with the Waste Directive 2008/98/EC and national and regional regulations.

The revised list of waste pursuant to article 7 of the Directive was published with the Commission's Decision 2014/955/EU.

#### Product

##### Waste key:

06 03 13\* (solid salts and solutions containing heavy metals)

#### Packaging

Contaminated packaging should be disposed of like the product.

##### Waste key:

15 01 10\* (packaging containing residues of or contaminated with hazardous substances).

### SECTION 14: Transport information

#### 14.1. UN number or ID number

UN3077

#### 14.2. UN proper shipping name

##### ADR/RID/ADN:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE; SOLID, N.O.S., (Copper(II) sulfate)

##### IMDG-Code:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE; SOLID, N.O.S., (Copper(II) sulfate)

##### ICAO-TI/IATA-DGR:

Environmentally hazardous substance, solid, n.o.s., (Copper(II) sulfate)


#### 14.3. Transport hazard class(es)

9 (Miscellaneous dangerous substances and articles, including environmentally hazardous substances)

	<b>Safety Data Sheet in accordance with Regulation (EC) No 1907/2006</b>  <b>Kjeldahl tablets ECO</b>	Revision Date: 17/05/2024 Print Date: 27/05/2024 Author: Köhler/Spl Version: 3.1  Page 8 of 10
---	---	---



Road or rail transport takes place in limited quantities (LQ) in accordance with Chapter 3.4 of the ADR / RID Convention (application of special provision 375).



#### 14.4. Packing group

III (Substances presenting low danger)

#### 14.5. Environmental hazards

Environmentally hazardous substance:

**ADR/RID/ADN/IMDG-Code:** no

**ICAO-TI/IATA-DGR:** no

This marking applies to all transport routes for transport in limited quantities (LQ).

#### 14.6. Special precautions for user

See Sections 6 - 8

#### 14.7. Maritime transport in bulk according to IMO instruments

Does not apply, it is a solid product and not a bulk good.

#### 14.8. Additional information

ADR Tunnel restriction code (-)

The passage through all tunnels is allowed.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU regulations

Safety Data Sheet:

Regulation (EC) No 1907/2006 (REACH), Annex II (SDS) amended by Regulation (EU) 2020/878.

Classification and labelling:

Regulation (EC) No 1272/2008 (CLP (EU-GHS) Regulation)

##### 15.1.2. Basic national regulations (Germany)

Act for the protection of young people at work (JArbSchG)

Observe employment restrictions according to § 22 for teens.

Act for the protection of mothers at work, in education and in study (MuSchG)

Inadmissible activities and working conditions according to §§ 11 and 12 MuSchG for expectant and nursing mothers.

Act on protection against hazardous substances (Chemicals Act (ChemG))

Regulation on protection against hazardous substances (Hazardous Substances Regulation (GefStoffV))

Regulation on bans and restrictions on the marketing and delivery of certain substances, mixtures and products pursuant to the Chemicals Act (ChemVerbotsV)

Ordinance on facilities for handling substances that are hazardous to water (AwSV) of 18 April 2017.

Potassium sulfate (identification number: 255, see database Rigoletto): Water hazard class (WGK): 1 (slightly hazardous to water)



	<p align="center"><b>Safety Data Sheet in accordance with Regulation (EC) No 1907/2006</b></p> <p align="center"><b>Kjeldahl tablets ECO</b></p>	<p>Revision Date: 17/05/2024 Print Date: 27/05/2024 Author: Köhler/Spl Version: 3.1</p> <p>Page 9 of 10</p>
---	--	---

Copper sulfate (identification number: 141, see database Rigoletto): Water hazard class (WGK): 3 (highly hazardous to water)  
Water hazard class (WGK) of Kjeldahl tablets ECO: 2 (obviously hazardous to water)  
(Derivation: mass fraction of copper sulfate (M factor: 10)  $\geq 0.2\%$  to  $< 3\%$ , see AwSV, Annex 1, section 5.2.2 Derivation of water hazard class 2)

## 15.2. Chemical Safety Assessment

For this product a chemical safety assessment was not created.

## SECTION 16: Other information

### 16.1. Indication of changes

Header - new logo  
Subsection 3.2. - addition of the symbol  $\leq$  in the % w/w column  
Subsection 16.3. - update

### 16.2. Codes of the hazard classes and the hazard categories

#### a) Hazard classes and hazard categories in subsection 2.1.1.

Aquatic Chronic 3 - Hazardous to the aquatic environment, chronic, category 3

#### b) Hazard statements according to Regulation (EC) No 1272/2008, the text was not specified in section 3

H400 - Very toxic to aquatic life.  
H410 - Very toxic to aquatic life with long lasting effects.  
H302 - Harmful if swallowed.  
H318 - Causes serious eye damage.

### 16.3. Literature and sources

#### Directives and Regulations

Regulation (EC) No 1907/2006 (REACH), was last amended by Regulation (EU) 2023/2482  
CLP (EU-GHS) Regulation (EC) No 1272/2008, was last amended by Regulation (EU) 2024/197

#### Copper compounds

Conclusion on the peer review of copper compounds, EFSA Scientific Report (2008)

#### REACH registration dossiers

Copper (II) sulfate (REACH Registration No 01-2119520566-40)  
Potassium sulfate (REACH Registration No 01-2119489441-34)

### 16.4. Methods in accordance with Chapter 2, Article 9 of Regulation (EC) No 1272/2008 for assessing the information that has been used for the purpose of classification

Aquatic toxicity: Use of table 4.1.2 of Part I of Annex 4 of Regulation (EC) No 1272/2008.

### 16.5. Abbreviations and acronyms

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route - European arrangements about the international transport of dangerous goods on the streets.
ATE	Acute Toxicity Estimates
bw	body weight
CAS	Chemical Abstracts Service
CLP	Classification, Labelling, Packaging
DFG	German Research Foundation – Deutsche Forschungsgemeinschaft

	<p align="center"><b>Safety Data Sheet in accordance with Regulation (EC) No 1907/2006</b></p> <p align="center"><b>Kjeldahl tablets ECO</b></p>	<p>Revision Date: 17/05/2024 Print Date: 27/05/2024 Author: Köhler/Spl Version: 3.1</p> <p>Page 10 of 10</p>
---	--	--

DIN	German Institute for Standardization Incorporated Society – Deutsche Institut für Normung e. V.
DNEL	Derived No Effect Level
dw	dry weight
EC	European Community
EC	Effective Concentration
EC <sub>r</sub>	Effective Concentration (Growth rate)
ECHA	European Chemicals Agency
EFSA	European Food Safety Authority
EN	European Standards
EPA	Environmental Protection Agency
EU	European Union
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IATA-DGR	International Air Transport Association-Dangerous Goods Regulation
ICAO-TI	International Civil Aviation Organization - Technical Instructions
IMDG-Code	International Maritime Code for Dangerous Goods
IMO	International Maritime Organization
LC	Lethal Concentration
LD	Lethal Dose
MAK	Maximum Workplace Concentration - Maximale Arbeitsplatzkonzentration
NOEC	No Observed Effect level Concentration
N.O.S. (n.o.s.)	Not otherwise specified
OECD	Organisation for Economic Co-operation and Development (Organisation de coopération et de développement économiques, OCDE)
PBT	Persistent, Bioaccumulative, Toxic
PNEC	Predicted No Effect Concentration
REACH	Regulation, Evaluation and Authorization of Chemicals
RID	Règlement concernant le transport International ferroviaire de marchandises Dangereuses - Regulation for the international transport of dangerous goods in the rail transport.
TRGS	Technical Rules for Hazardous Substances
TWA	Time-Weighted Average
UN	United Nations
vPvB	very persistent and very bioaccumulative
<b>16.6. Further information</b>	
This information is based on our present knowledge, they do not constitute an assurance of product properties and establishes no contract legal rights.	