10.10.2023	Kit components
Product code	Description
11055018	Melting point Standard Set 4-Nitrotoluene, Diphenylacetic acid, Potassium nitrate, Caffeine
Components:	
BMP0535	MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C
BMP1475	MELTING POINT STANDARD DIPHENYLACETIC ACID + 147°C
BMP2365	MELTING POINT STANDARD CAFFEINE +235 to +238°C

NITRATE +333 to +335°C

BMP3345

MELTING POINT STANDARD POTASSIUM

Revision: 10.10.2023



Safety data sheet according to 1907/2006/EC, Article 31

Printing 10.10.2023

version number 17 (replaces version 16)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

*1.1 Product identifier

*Trade name: MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C

*Article number: BMP0535

*CAS Number: 99-99-0

*EC number:

202-808-0 *Index number

*Index number: 609-006-00-3

*Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

*UFI: 9WS0-N0JN-H002-NMEC

*1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

*Application of the substance / the mixture Laboratory Chemicals

*1.3 Details of the supplier of the safety data sheet

*Manufacturer/Supplier: See Below

*Manufacturer:

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon,

Co. Clare,

Ireland.

Tel +353 61 472622

Fax +353 61 472642

*Supplier:

BÜCHI Labortechnik AG

Meierseggstrasse 40

CH - 9230 Flawil

Telephone: +41 71 394 63 63 FAX: +41 71 394 65 65 Email: schweiz@buchi.com Internet: www.buchi.com

*Further information obtainable by contacting: sds@reagecon.ie

*1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

SECTION 2: Hazards identification

*2.1 Classification of the substance or mixture

*Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

(Contd. on page 2)



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C

(Contd. of page 1)



GHS08 health hazard

STOT RE 2

H373 May cause damage to the liver, the blood and the immune system through prolonged or repeated exposure.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

*2.2 Label elements

*Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

*Hazard pictograms







GHS06

GHS08 G

*Signal word Danger

*Hazard-determining components of labelling:

4-nitrotoluene

*Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H373

May cause damage to the liver, the blood and the immune system through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

*Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

*2.3 Other hazards

*Results of PBT and vPvB assessment

*PBT: Not applicable. *vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

*3.1 Substances

*CAS No. Description

CAS: 99-99-0 4-nitrotoluene

*Identification number(s)

*EC number: 202-808-0

*Index number: 609-006-00-3

ΙE



Printing 10.10.2023

version number 17 (replaces version 16)

Trade name: MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C

(Contd. of page 2)

Revision: 10.10.2023

SECTION 4: First aid measures

*4.1 Description of first aid measures

*General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

*After inhalation:

Provide fresh air, warmth and rest. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Obtain medical attention.

In case of unconsciousness place patient stably in side position for transportation.

*After skin contact:

Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

*After eye contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Get medical attention. Continue to rinse.

*After swallowing:

Do not induce vomiting; call for medical help immediately. Rinse mouth thoroughly with water and give large amounts of water to drink. Never give anything by mouth to an unconscious person.

*4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

*5.1 Extinguishing media

*Suitable extinguishing agents:

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

Use fire extinguishing methods suitable to surrounding conditions.

*5.2 Special hazards arising from the substance or mixture No further relevant information available.

*5.3 Advice for firefighters

*Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

*6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

*6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

*7.1 Precautions for safe handling

Thorough dedusting.

(Contd. on page 4)



Printing 10.10.2023

version number 17 (replaces version 16)

Trade name: MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C

(Contd. of page 3)

Revision: 10.10.2023

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- *Information about fire and explosion protection: Keep respiratory protective device available.
- *7.2 Conditions for safe storage, including any incompatibilities
- *Storage
- *Requirements to be met by storerooms and receptacles: No special requirements.
- *Information about storage in one common storage facility: Not required.
- *Further information about storage conditions: Keep receptacle tightly sealed.
- *7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

*8.1 Control parameters

*Ingredients with limit values that require monitoring at the workplace:

CAS: 99-99-0 4-nitrotoluene

PEL (USA) Long-term value: 30 mg/m³, 5 ppm

Skir

REL (USA) Long-term value: 11 mg/m³, 2 ppm

Skin

TLV (USA) Long-term value: 2 ppm

Skin; BEI-M

*Ingredients with biological limit values:

CAS: 99-99-0 4-nitrotoluene

BEI (USA) 1.5 % of hemoglobin

Medium: blood

Time: during or end of shift

Parameter: Methemoglobin (background, nonspecific, semi-quantitative)

*8.2 Exposure controls

*Appropriate engineering controls No further data; see item 7.

*Individual protection measures, such as personal protective equipment

*General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

*Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

*Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

(Contd. on page 5)

^{*}Additional information: The lists valid during the making were used as basis.



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C

(Contd. of page 4)

*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

*Penetration time of glove material

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

*Eye/face protection Not required.

SECTION 9: Physical and chemical properties

*Q	1 Information	on basic	nhysical	and c	homical	nronerties
7.	a injoinuuuun	on vasic	pnysicui	unu ci	uemicai	DIODELLES

*General Information

*Physical state Liquid *Colour: Light yellow *Odour: Characteristic *Odour threshold: Not determined. 51-54 °C *Melting point/freezing point:

*Boiling point or initial boiling point and boiling

range

*Flammability Product is not flammable.

*Lower and upper explosion limit

Not determined. *Lower: *Upper: 1.6 Vol % 106 °C *Flash point: 450 °C *Ignition temperature:

Not determined. *Decomposition temperature: *pHNot applicable.

*Viscosity:

*Kinematic viscosity Not applicable. Not applicable. *Dynamic:

*Solubility *water at 20 °C:

0.345 g/l Not determined. *Partition coefficient n-octanol/water (log value) 0.13 hPa *Vapour pressure at 20 °C:

*Density and/or relative density

*Density at 20 °C: 1.392 g/cm3 Not determined. *Relative density *Vapour density Not applicable. See item 3. *Particle characteristics

*9.2 Other information

*Appearance:

*Form: Crystalline

*Important information on protection of health and environment, and on safety.

*Auto-ignition temperature: Not determined.

*Explosive properties: Product does not present an explosion hazard.

137.14 g/mol *Molecular weight

*Change in condition

*Evaporation rate Not applicable.

*Information with regard to physical hazard classes

Void *Explosives *Flammable gases Void *Aerosols Void

(Contd. on page 6)



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C

(Contd. of page 5)

*Oxidising gases	Void
*Gases under pressure	Void
*Flammable liquids	Void
*Flammable solids	Void
*Self-reactive substances and mixtures	Void
*Pyrophoric liquids	Void
*Pyrophoric solids	Void
*Self-heating substances and mixtures	Void
*Substances and mixtures, which emit flammable	
gases in contact with water	Void
*Oxidising liquids	Void
*Oxidising solids	Void
*Organic peroxides	Void
*Corrosive to metals	Void
*Desensitised explosives	Void

SECTION 10: Stability and reactivity

- *10.1 Reactivity No further relevant information available.
- *10.2 Chemical stability
- *Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *10.3 Possibility of hazardous reactions No dangerous reactions known.
- *10.4 Conditions to avoid No further relevant information available.
- *10.5 Incompatible materials: No further relevant information available.
- *10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- *11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- *Acute toxicity Toxic if swallowed, in contact with skin or if inhaled.
- *Skin corrosion/irritation Based on available data, the classification criteria are not met.
- *Serious eye damage/irritation Based on available data, the classification criteria are not met.
- *Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- *Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.
- *STOT-single exposure Based on available data, the classification criteria are not met.
- *STOT-repeated exposure
- May cause damage to the liver, the blood and the immune system through prolonged or repeated exposure.
- *Aspiration hazard Based on available data, the classification criteria are not met.
- *11.2 Information on other hazards
- *Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

- *12.1 Toxicity
- *Aquatic toxicity: No further relevant information available.
- *12.2 Persistence and degradability No further relevant information available.
- *12.3 Bioaccumulative potential No further relevant information available.
- *12.4 Mobility in soil No further relevant information available.
- *12.5 Results of PBT and vPvB assessment
- *PBT: Not applicable.

(Contd. on page 7)



Printing 10.10.2023

version number 17 (replaces version 16)

Trade name: MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C

(Contd. of page 6)

Revision: 10.10.2023

*vPvB: Not applicable.

*12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- *12.7 Other adverse effects
- *Remark: Toxic for fish
- *Additional ecological information:
- *General notes:

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

*13.1 Waste treatment methods

*Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

*Europ	*European waste catalogue		
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity		
HP6	Acute Toxicity		
HP14	Ecotoxic		

^{*}Uncleaned packaging:

^{*}Recommendation: Disposal must be made according to official regulations.

*14.1 UN number or ID number *ADR, IMDG, IATA	UN3446
*14.2 UN proper shipping name	
*ADR	3446 NITROTOLUENES, SOLID, ENVIRONMENTALL
	HAZARDOUS
	1664 NITROTOLUENE, FEST
*IMDG, IATA	NITROTOLUENES, SOLID
*14.3 Transport hazard class(es)	
*ADR	
(*) (** <u>*</u> **)	
*Class	6.1 Toxic substances.
*Label	6.1
*IMDG, IATA	
*Class	6.1 Toxic substances.
*Label	6.1



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C

	(Contd. of page
*14.4 Packing group	
*ADR, IMDG, IATA	II
*14.5 Environmental hazards:	
*Marine pollutant:	No
*Special marking (ADR):	Symbol (fish and tree)
*14.6 Special precautions for user	Warning: Toxic substances.
*Hazard identification number (Kemler code):	60
*EMS Number:	F- A , S - A
*Stowage Category	A
*14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
*Transport/Additional information:	
*ADR	
*Limited quantities (LQ)	500 g
*Transport category	2
*Tunnel restriction code	D/E
*UN "Model Regulation":	UN 3446 NITROTOLUENES, SOLID, 6.1, I ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- *15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- *Directive 2012/18/EU
- *Named dangerous substances ANNEX I Substance is not listed.
- *Seveso category
- H2 ACUTE TOXIC
- E2 Hazardous to the Aquatic Environment
- *Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- *Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- *DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

Substance is not listed.

- *REGULATION (EU) 2019/1148
- *Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

*Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

*Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

*Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

- *National regulations:
- *Breakdown regulations:

Class	Share in %
Ι	100.0

(Contd. on page 9)



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD 4-NITROTOLUENE 51 to 54°C

(Contd. of page 8)

*Waterhazard class: Water hazard class 3 (Assessment by list): extremely hazardous for water.

*15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*Department issuing SDS: Health and Safety

*Contact: sds@reagecon.ie

*Date of previous version: 24.04.2023 *Version number of previous version: 16

*Abbreviations and acronyms:

REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

*NO

ΙE

Revision: 10.10.2023



Safety data sheet according to 1907/2006/EC, Article 31

Printing 10.10.2023

version number 17 (replaces version 16)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

*1.1 Product identifier

*Trade name: MELTING POINT STANDARD DIPHENYLACETIC ACID + 147°C

*Article number: BMP1475

*CAS Number: 117-34-0

*EC number:

204-185-0

*Index number:

609-006-00-3

*Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

*UFI: E0T0-5081-T00J-AY0E

*1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

*Application of the substance / the mixture Laboratory Chemicals

*1.3 Details of the supplier of the safety data sheet

*Manufacturer/Supplier: See Below

*Manufacturer:

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon.

Co. Clare,

Ireland.

Tel +353 61 472622

Fax +353 61 472642

*Supplier:

BÜCHI Labortechnik AG

Meierseggstrasse 40

CH - 9230 Flawil

Telephone: +41 71 394 63 63 FAX: +41 71 394 65 65 Email: schweiz@buchi.com Internet: www.buchi.com

*Further information obtainable by contacting: sds@reagecon.ie

*1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

SECTION 2: Hazards identification

*2.1 Classification of the substance or mixture

*Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD DIPHENYLACETIC ACID + 147°C

(Contd. of page 1)

*2.2 Label elements

*Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

*Hazard pictograms



*Signal word Warning

*Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

*Precautionary statements

P264

Wash thoroughly after handling.

P280

Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

P362+P364 P337+P313

If eye irritation persists: Get medical advice/attention.

*2.3 Other hazards

*Results of PBT and vPvB assessment

*PBT: Not applicable. *vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

*3.1 Substances

*CAS No. Description

CAS: 117-34-0 diphenylacetic acid

*Identification number(s)
*EC number: 204-185-0
*Index number: 609-006-00-3

SECTION 4: First aid measures

*4.1 Description of first aid measures

*After inhalation: In case of unconsciousness place patient stably in side position for transportation.

*After skin contact:

Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

*After eye contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse.. If symptoms persist, consult a doctor.

*After swallowing:

Do not induce vomiting; call for medical help immediately. Rinse mouth thoroughly with water and give large amounts of water to drink. Never give anything by mouth to an unconscious person.

*4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.



Printing 10.10.2023

version number 17 (replaces version 16)

Trade name: MELTING POINT STANDARD DIPHENYLACETIC ACID + 147°C

(Contd. of page 2)

Revision: 10.10.2023

SECTION 5: Firefighting measures

*5.1 Extinguishing media

*Suitable extinguishing agents:

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

Use fire extinguishing methods suitable to surrounding conditions.

- *5.2 Special hazards arising from the substance or mixture No further relevant information available.
- *5.3 Advice for firefighters

*Protective equipment:

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers

SECTION 6: Accidental release measures

*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

- *6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *6.3 Methods and material for containment and cleaning up: Pick up mechanically.

*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

*7.1 Precautions for safe handling

Keep receptacles tightly sealed.

No special precautions are necessary if used correctly.

- *Information about fire and explosion protection: No special measures required.
- *7.2 Conditions for safe storage, including any incompatibilities
- *Storage:
- *Requirements to be met by storerooms and receptacles: No special requirements.
- *Information about storage in one common storage facility: Not required.
- *Further information about storage conditions: Keep receptacle tightly sealed.
- *7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

*8.1 Control parameters

- *Ingredients with limit values that require monitoring at the workplace: Not required.
- *Additional information: The lists valid during the making were used as basis.
- *8.2 Exposure controls
- *Appropriate engineering controls No further data; see item 7.
- *Individual protection measures, such as personal protective equipment
- *General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 4)



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD DIPHENYLACETIC ACID + 147°C

(Contd. of page 3)

*Respiratory protection:

Not required.

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

*Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/ EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

*Penetration time of glove material

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

*Eye/face protection



Tightly sealed goggles: Use equipment for eye protection tested and approved under appropriate government standards

such as NIOSH (US) or EN 166(EU)

SECTION 9: Physical and chemical properties

*9.1 Information on basic physical and chemical properties

*General Information

*Physical state

Liquid

(Contd. on page 5)



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD DIPHENYLACETIC ACID + 147°C

(Contd. of page 4) *Colour: According to product specification *Odour: Characteristic *Odour threshold: Not determined. *Melting point/freezing point: 147-149 °C *Boiling point or initial boiling point and boiling range Undetermined. *Flammability Product is not flammable. *Lower and upper explosion limit *Lower: Not determined. Not determined. *Upper: *Flash point: Not applicable. Not determined. *Decomposition temperature: Not applicable. pH*Viscosity: *Kinematic viscosity Not applicable. *Dynamic: Not applicable. *Solubility Insoluble. *water: *Partition coefficient n-octanol/water (log value) Not determined. Not applicable. *Vapour pressure: *Density and/or relative density *Density at 20 °C: 1.117 g/cm³ *Relative density Not determined. *Vapour density Not applicable. See item 3. *Particle characteristics *9.2 Other information *Appearance: *Form: Powder *Important information on protection of health and environment, and on safety. Not determined. *Auto-ignition temperature: *Explosive properties: Product does not present an explosion hazard. *Molecular weight 212.25 g/mol *Change in condition Not applicable. *Evaporation rate *Information with regard to physical hazard classes Void *Explosives *Flammable gases Void *Aerosols Void *Oxidising gases Void *Gases under pressure Void *Flammable liquids Void *Flammable solids Void *Self-reactive substances and mixtures Void *Pyrophoric liquids Void *Pyrophoric solids Void *Self-heating substances and mixtures Void *Substances and mixtures, which emit flammable Void gases in contact with water *Oxidising liquids Void Void *Oxidising solids Void *Organic peroxides Void *Corrosive to metals

(Contd. on page 6)



Printing 10.10.2023

version number 17 (replaces version 16)

Trade name: MELTING POINT STANDARD DIPHENYLACETIC ACID + 147°C

(Contd. of page 5)

Revision: 10.10.2023

*Desensitised explosives

Void

SECTION 10: Stability and reactivity

- *10.1 Reactivity No further relevant information available.
- *10.2 Chemical stability
- *Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *10.3 Possibility of hazardous reactions No dangerous reactions known.
- *10.4 Conditions to avoid No further relevant information available.
- *10.5 Incompatible materials: No further relevant information available.
- *10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- *11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- *Acute toxicity Based on available data, the classification criteria are not met.
- *LD/LC50 values relevant for classification:

CAS: 117-34-0 diphenylacetic acid

Oral LD50 5,540 mg/kg (rat)

- *Skin corrosion/irritation Causes skin irritation.
- *Serious eye damage/irritation Causes serious eye irritation.
- *Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- *Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.
- *STOT-single exposure Based on available data, the classification criteria are not met.
- *STOT-repeated exposure Based on available data, the classification criteria are not met.
- *Aspiration hazard Based on available data, the classification criteria are not met.
- *11.2 Information on other hazards
- *Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

- *12.1 Toxicity
- *Aquatic toxicity: No further relevant information available.
- *12.2 Persistence and degradability No further relevant information available.
- *12.3 Bioaccumulative potential No further relevant information available.
- *12.4 Mobility in soil No further relevant information available.
- *12.5 Results of PBT and vPvB assessment
- *PBT: Not applicable.
- *vPvB: Not applicable.
- *12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- *12.7 Other adverse effects
- *Additional ecological information:
- *General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD DIPHENYLACETIC ACID + 147°C

(Contd. of page 6)

SECTION 13: Disposal considerations

*13.1 Waste treatment methods

*Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

*European waste catalogue

HP4 Irritant - skin irritation and eye damage

*Uncleaned packaging:

*Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	ion	
*14.1 UN number or ID number *ADR, IMDG, IATA	Void	
*14.2 UN proper shipping name *ADR, IMDG, IATA	Void	
*14.3 Transport hazard class(es)		
*ADR, IMDG, IATA *Class	Void	
*14.4 Packing group *ADR, IMDG, IATA	Void	
*14.5 Environmental hazards: *Marine pollutant:	No	
*14.6 Special precautions for user	Not applicable.	
*14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
*UN ''Model Regulation'':	Void	

SECTION 15: Regulatory information

*15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

*Directive 2012/18/EU

*Named dangerous substances - ANNEX I Substance is not listed.

*DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

*REGULATION (EU) 2019/1148

*Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

*Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

*Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

(Contd. on page 8)



Printing 10.10.2023

version number 17 (replaces version 16)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD DIPHENYLACETIC ACID + 147°C

(Contd. of page 7)

*Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

- *National regulations:
- *Waterhazard class: Water hazard class 3 (Self-assessment):extremely hazardous for water.
- *15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*Department issuing SDS: Health and Safety

*Contact: sds@reagecon.ie

*Date of previous version: 24.04.2023 *Version number of previous version: 16

*Abbreviations and acronyms:

REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

 $PBT: Persistent, \ Bioaccumulative \ and \ Toxic$

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

*NO

ΙE

Revision: 10.10.2023



Safety data sheet according to 1907/2006/EC, Article 31

Printing 10.10.2023

version number 15 (replaces version 14)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

*1.1 Product identifier

*Trade name: MELTING POINT STANDARD CAFFEINE +235 to +238°C

*Article number: BMP2365

*CAS Number:

58-08-2

*EC number:

200-362-1

*Index number:

613-086-00-5

*Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

*UFI: 12T0-N0XF-4002-Y9KG

*1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

*Application of the substance / the mixture Laboratory Chemicals

*1.3 Details of the supplier of the safety data sheet

*Manufacturer/Supplier: See Below

*Manufacturer:

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon,

Co. Clare,

Ireland.

Tel +353 61 472622

Fax +353 61 472642

*Supplier:

BÜCHI Labortechnik AG

Meierseggstrasse 40

CH - 9230 Flawil

Telephone: +41 71 394 63 63 FAX: +41 71 394 65 65 Email: schweiz@buchi.com Internet: www.buchi.com

*Further information obtainable by contacting: sds@reagecon.ie

*1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

SECTION 2: Hazards identification

*2.1 Classification of the substance or mixture

*Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H302 Harmful if swallowed.

(Contd. on page 2)



Printing 10.10.2023

version number 15 (replaces version 14)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD CAFFEINE +235 to +238°C

(Contd. of page 1)

*2.2 Label elements

*Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

*Hazard pictograms



*Signal word Warning

*Hazard-determining components of labelling:

Caffeine

*Hazard statements

H302 Harmful if swallowed.

*Precautionary statements

P264

Wash thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330

Rinse mouth.

P501

Dispose of contents/container in accordance with local/regional/national/international

regulations.

*2.3 Other hazards

*Results of PBT and vPvB assessment

*PBT: Not applicable. *vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

*3.1 Substances

*CAS No. Description

CAS: 58-08-2 Caffeine

*Identification number(s)

*EC number: 200-362-1

*Index number: 613-086-00-5

SECTION 4: First aid measures

*4.1 Description of first aid measures

*General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

*After inhalation:

Provide fresh air, warmth and rest. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Obtain medical attention if any discomfort continues.

*After skin contact: Generally the product does not irritate the skin.

*After eye contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse. Get medical attention if symptoms persist.

*After swallowing:

Call for a doctor immediately.

Do not induce vomiting; call for medical help immediately. Rinse mouth thoroughly with water and give large amounts of water to drink. Never give anything by mouth to an unconscious person.

*4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing 10.10.2023

version number 15 (replaces version 14)

Trade name: MELTING POINT STANDARD CAFFEINE +235 to +238°C

(Contd. of page 2)

Revision: 10.10.2023

*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

*5.1 Extinguishing media

*Suitable extinguishing agents:

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

Use fire extinguishing methods suitable to surrounding conditions.

- *5.2 Special hazards arising from the substance or mixture No further relevant information available.
- *5.3 Advice for firefighters
- *Protective equipment:

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers

SECTION 6: Accidental release measures

*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

*6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

*6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

*7.1 Precautions for safe handling

Keep receptacles tightly sealed.

No special precautions are necessary if used correctly.

*Information about fire - and explosion protection: No special measures required.

- *7.2 Conditions for safe storage, including any incompatibilities
- *Storage:
- *Requirements to be met by storerooms and receptacles: No special requirements.
- *Information about storage in one common storage facility: Not required.
- *Further information about storage conditions: None.
- *7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- *8.1 Control parameters
- *Ingredients with limit values that require monitoring at the workplace: Not required.
- *Additional information: The lists valid during the making were used as basis.
- *8.2 Exposure controls
- *Appropriate engineering controls No further data; see item 7.
- *Individual protection measures, such as personal protective equipment
- *General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

(Contd. on page 4)



Printing 10.10.2023

version number 15 (replaces version 14)

Trade name: MELTING POINT STANDARD CAFFEINE +235 to +238°C

(Contd. of page 3)

Revision: 10.10.2023

*Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

*Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

*Penetration time of glove material

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

*Eye/face protection Not required.

SECTION 9: Physical and chemical properties

*9.1 Information on l	basic physical	and chemical	properties

*General Information

*Physical state Liquid *Colour: White

*Odour: Characteristic *Odour threshold: Not determined. 234-236.5 °C *Melting point/freezing point:

*Boiling point or initial boiling point and boiling

range Undetermined.

*Flammability Product is not flammable.

*Lower and upper explosion limit

Not determined. *Lower: *Upper: Not determined. >93 °C *Flash point: Not determined. *Decomposition temperature:

*pH 5.5-6.5

*Viscosity:

Not applicable. *Kinematic viscosity *Dynamic: Not applicable.

*Solubility

*water at 16 °C: 18.7 g/l

*Partition coefficient n-octanol/water (log value) Not determined.

*Vapour pressure at 89 °C: 20 hPa

*Density and/or relative density

1.23 g/cm³ *Density at 20 °C: Not determined. *Relative density *Bulk density: $220 \, kg/m^3$ *Vapour density Not applicable.

*Particle characteristics See item 3.

(Contd. on page 5)



Printing 10.10.2023

version number 15 (replaces version 14)

Trade name: MELTING POINT STANDARD CAFFEINE +235 to +238°C

(Contd. of page 4)

Revision: 10.10.2023

*Appearance:

*Form:

Powder

*Important information on protection of health and

environment, and on safety.

 $*Auto-ignition\ temperature:$

Not determined.

*Explosive properties:

Product does not present an explosion hazard.

*Molecular weight

194.19 g/mol

*Change in condition

*Evaporation rate

Not applicable.

*Information with regard to physical hazard classes

*Explosives Void *Flammable gases Void Void *Aerosols Void *Oxidising gases Void *Gases under pressure *Flammable liquids Void Void *Flammable solids Void *Self-reactive substances and mixtures Void *Pyrophoric liquids *Pyrophoric solids Void *Self-heating substances and mixtures Void *Substances and mixtures, which emit flammable Void gases in contact with water *Oxidising liquids Void *Oxidising solids Void *Organic peroxides Void *Corrosive to metals Void *Desensitised explosives Void

SECTION 10: Stability and reactivity

- *10.1 Reactivity No further relevant information available.
- *10.2 Chemical stability
- *Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *10.3 Possibility of hazardous reactions No dangerous reactions known.
- *10.4 Conditions to avoid No further relevant information available.
- *10.5 Incompatible materials: No further relevant information available.
- *10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- *11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- *Acute toxicity Harmful if swallowed.
- *LD/LC50 values relevant for classification:

CAS: 58-08-2 Caffeine

Oral LD50 192 mg/kg (rat)

- *Skin corrosion/irritation Based on available data, the classification criteria are not met.
- *Serious eye damage/irritation Based on available data, the classification criteria are not met.
- *Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- *Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing 10.10.2023

version number 15 (replaces version 14)

Trade name: MELTING POINT STANDARD CAFFEINE +235 to +238°C

(Contd. of page 5)

Revision: 10.10.2023

- *STOT-single exposure Based on available data, the classification criteria are not met.
- *STOT-repeated exposure Based on available data, the classification criteria are not met.
- *Aspiration hazard Based on available data, the classification criteria are not met.
- *11.2 Information on other hazards
- *Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

- *12.1 Toxicity
- *Aquatic toxicity: No further relevant information available.
- *12.2 Persistence and degradability No further relevant information available.
- *12.3 Bioaccumulative potential No further relevant information available.
- *12.4 Mobility in soil No further relevant information available.
- *12.5 Results of PBT and vPvB assessment
- *PBT: Not applicable.
- *vPvB: Not applicable.
- *12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- *12.7 Other adverse effects
- *Additional ecological information:
- *General notes:

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- *13.1 Waste treatment methods
- *Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

*European waste catalogue

HP6 Acute Toxicity

- *Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information *14.1 UN number or ID number *ADR, IMDG, IATA Void *14.2 UN proper shipping name *ADR, IMDG, IATA Void *14.3 Transport hazard class(es) *ADR, IMDG, IATA *Class Void *14.4 Packing group *ADR, IMDG, IATA Void *14.5 Environmental hazards: *Marine pollutant: No

(Contd. on page 7)



Printing 10.10.2023

version number 15 (replaces version 14)

Trade name: MELTING POINT STANDARD CAFFEINE +235 to +238°C

(Contd. of page 6

Revision: 10.10.2023

·		(Contd. of page 6)
*14.6 Special precautions for user	Not applicable.	
*14.7 Maritime transport in bulk accordin	g to IMO	
instruments	Not applicable.	
*UN ''Model Regulation'':	Void	

SECTION 15: Regulatory information

- *15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- *Directive 2012/18/EU
- *Named dangerous substances ANNEX I Substance is not listed.
- *DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

Substance is not listed.

- *REGULATION (EU) 2019/1148
- *Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

*Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

*Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

*Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

- *National regulations:
- *Waterhazard class: Water hazard class 3 (Assessment by list):extremely hazardous for water.
- *15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- *Department issuing SDS: Health and Safety
- *Contact: sds@reagecon.ie
- *Date of previous version: 24.04.2023
- *Version number of previous version: 14
- *Abbreviations and acronyms:
- REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

*NO

Revision: 10.10.2023



Safety data sheet according to 1907/2006/EC, Article 31

Printing 10.10.2023

version number 10 (replaces version 9)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

*1.1 Product identifier

*Trade name: MELTING POINT STANDARD POTASSIUM NITRATE +333 to +335°C

*Article number: BMP3345

*CAS Number: 7757-79-1 *EC number: 231-818-8

*Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

*UFI: G5T0-50MU-E00J-NN5J

*1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

*Application of the substance / the mixture Laboratory Chemicals

*1.3 Details of the supplier of the safety data sheet

*Manufacturer/Supplier: See Below

*Manufacturer:

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon, Co. Clare, Ireland.

Tel +353 61 472622

Fax +353 61 472642

*Supplier:

BÜCHI Labortechnik AG

Meierseggstrasse 40

CH - 9230 Flawil

Telephone: +41 71 394 63 63 FAX: +41 71 394 65 65 Email: schweiz@buchi.com Internet: www.buchi.com

*Further information obtainable by contacting: sds@reagecon.ie

*1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

SECTION 2: Hazards identification

*2.1 Classification of the substance or mixture

*Classification according to Regulation (EC) No 1272/2008



GHS03 flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidiser.

*2.2 Label elements

*Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing 10.10.2023

version number 10 (replaces version 9)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD POTASSIUM NITRATE +333 to +335°C

(Contd. of page 1)

*Hazard pictograms



*Signal word Danger

*Hazard statements

H272 May intensify fire; oxidiser.

*Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

*Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

*2.3 Other hazards

*Results of PBT and vPvB assessment

*PBT: Not applicable. *vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

*3.1 Substances

*CAS No. Description

CAS: 7757-79-1 potassium nitrate

*Identification number(s) *EC number: 231-818-8

SECTION 4: First aid measures

*4.1 Description of first aid measures

*After inhalation:

Provide fresh air, warmth and rest. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Obtain medical attention if any discomfort continues.

*After skin contact: Generally the product does not irritate the skin.

*After eye contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse. Get medical attention if symptoms persist.

*After swallowing: If symptoms persist consult doctor.

*4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

*5.1 Extinguishing media

*Suitable extinguishing agents:

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)



Printing 10.10.2023

version number 10 (replaces version 9)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD POTASSIUM NITRATE +333 to +335°C

(Contd. of page 2)

*5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

*5.3 Advice for firefighters

*Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

*6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

- *6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- *6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

*7.1 Precautions for safe handling Prevent formation of dust.

*Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

- *7.2 Conditions for safe storage, including any incompatibilities
- *Storage
- *Requirements to be met by storerooms and receptacles: No special requirements.
- *Information about storage in one common storage facility: Not required.
- *Further information about storage conditions: None.
- *7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- *8.1 Control parameters
- *Ingredients with limit values that require monitoring at the workplace: Not required.
- *Additional information: The lists valid during the making were used as basis.
- *8.2 Exposure controls
- *Appropriate engineering controls No further data; see item 7.
- *Individual protection measures, such as personal protective equipment
- *General protective and hygienic measures: Wash hands before breaks and at the end of work.
- *Respiratory protection:

Not required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

*Hand protection



(Contd. on page 4)



Printing 10.10.2023

version number 10 (replaces version 9)

Trade name: MELTING POINT STANDARD POTASSIUM NITRATE +333 to +335°C

(Contd. of page 3)

Revision: 10.10.2023

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

*Penetration time of glove material

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

*Eye/face protection Not required.

SECTION 9: Physical and chemical properties

*9.1 Information on basic physical and chemical properties

*General Information

*Physical state Liquid

*Colour: Colourless

*Odour: Characteristic

*Odour threshold: Not determined.

*Melting point/freezing point: 334 °C

*Boiling point or initial boiling point and boiling

range 400 °C

*Flammability Contact with combustible material may cause fire.

*Lower and upper explosion limit

*Lower:

*Upper:

Not determined.

*Flash point:

Not applicable.

*Decomposition temperature:

Not applicable.

Not applicable.

*Viscosity:

*Kinematic viscosity Not applicable.
*Dynamic: Not applicable.

*Solubility

*water at **20** °C: 320 g/l

*Partition coefficient n-octanol/water (log value) Not determined. *Vapour pressure: Not applicable.

*Density and/or relative density

*Density at 20 °C:

*Relative density

*Vapour density

*Particle characteristics

2.109 g/cm³

Not determined.

Not applicable.

See item 3.

*9.2 Other information

*Appearance:

*Form: Crystalline

*Important information on protection of health and

environment, and on safety.

*Auto-ignition temperature: Not determined.

*Explosive properties: Product does not present an explosion hazard.

*Molecular weight 101.1 g/mol

*Change in condition

*Evaporation rate Not applicable.

(Contd. on page 5)



Printing 10.10.2023

version number 10 (replaces version 9)

Trade name: MELTING POINT STANDARD POTASSIUM NITRATE +333 to +335°C

(Contd. of page 4)

Revision: 10.10.2023

		(conta. or page
*Information with regard to physical hazard	classes	
*Explosives	Void	
*Flammable gases	Void	
*Aerosols	Void	
*Oxidising gases	Void	
*Gases under pressure	Void	
*Flammable liquids	Void	
*Flammable solids	Void	
*Self-reactive substances and mixtures	Void	
*Pyrophoric liquids	Void	
*Pyrophoric solids	Void	
*Self-heating substances and mixtures	Void	
*Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
*Oxidising liquids	Void	
*Oxidising solids	May intensify fire; oxidiser.	
*Organic peroxides	Void	
*Corrosive to metals	Void	
*Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- *10.1 Reactivity No further relevant information available.
- *10.2 Chemical stability
- *Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *10.3 Possibility of hazardous reactions No dangerous reactions known.
- *10.4 Conditions to avoid No further relevant information available.
- *10.5 Incompatible materials: No further relevant information available.
- *10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- *11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- *Acute toxicity Based on available data, the classification criteria are not met.
- *Skin corrosion/irritation Based on available data, the classification criteria are not met.
- *Serious eye damage/irritation Based on available data, the classification criteria are not met.
- *Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- *Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.
- *STOT-single exposure Based on available data, the classification criteria are not met.
- *STOT-repeated exposure Based on available data, the classification criteria are not met.
- *Aspiration hazard Based on available data, the classification criteria are not met.
- *11.2 Information on other hazards
- *Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

- *12.1 Toxicity
- *Aquatic toxicity: No further relevant information available.
- *12.2 Persistence and degradability No further relevant information available.
- *12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)



Printing 10.10.2023

version number 10 (replaces version 9)

Trade name: MELTING POINT STANDARD POTASSIUM NITRATE +333 to +335°C

(Contd. of page 5)

Revision: 10.10.2023

- *12.4 Mobility in soil No further relevant information available.
- *12.5 Results of PBT and vPvB assessment
- *PBT: Not applicable.
- *vPvB: Not applicable.
- *12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- *12.7 Other adverse effects
- *Additional ecological information:
- *General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- *13.1 Waste treatment methods
- *Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

*European waste catalogue

HP2 Oxidising

- *Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.
- *Recommended cleansing agents: Water, if necessary together with cleansing agents.

CHOTION	111	T1	C
SECTION	14.	i rangnart in	tormation
DECITOR.	$LT \cdot $	LIWIUSPOIL III	Joinnation

*14.1 UN number or ID number *ADR, IMDG, IATA	UN1486	
*14.2 UN proper shipping name		
*ADR	1486 POTASSIUM NITRATE	
	1486 POTASSIUM NITRATE	
*IMDG, IATA	POTASSIUM NITRATE	
*14.3 Transport hazard class(es)		

*ADR, IMDG, IATA



*Class *Label	5.1 Oxidising substances.5.1
*14.4 Packing group *ADR, IMDG, IATA	III
*14.5 Environmental hazards:	Not applicable.
*14.6 Special precautions for user *Hazard identification number (Kemler code): *EMS Number: *Stowage Category *Stowage Code	Warning: Oxidising substances. 50 F-A,S-Q A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

(Contd. on page 7)

Revision: 10.10.2023



Safety data sheet according to 1907/2006/EC, Article 31

Printing 10.10.2023

version number 10 (replaces version 9)

Trade name: MELTING POINT STANDARD POTASSIUM NITRATE +333 to +335°C

	(Contd. of page 6
*14.7 Maritime transport in bulk accord	ding to IMO
instruments	Not applicable.
*Transport/Additional information:	
*ADR	
*Limited quantities (LQ)	5 kg
*Transport category	3
*Tunnel restriction code	E
*UN ''Model Regulation'':	UN 1486 POTASSIUM NITRATE, 5.1, III

SECTION 15: Regulatory information

- *15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- *Directive 2012/18/EU
- *Named dangerous substances ANNEX I Substance is not listed.
- *Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- *Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- *Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- *DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

Substance is not listed.

- *REGULATION (EU) 2019/1148
- *Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

*Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is listed.

*Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

*Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

- *National regulations:
- *Waterhazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.
- *15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- *Department issuing SDS: Health and Safety
- *Contact: sds@reagecon.ie
- *Date of previous version: 24.04.2023
- *Version number of previous version: 9
- *Abbreviations and acronyms:

REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 8)



Printing 10.10.2023

version number 10 (replaces version 9)

Revision: 10.10.2023

Trade name: MELTING POINT STANDARD POTASSIUM NITRATE +333 to +335°C

(Contd. of page 7)

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Sol. 2: Oxidizing solids – Category 2

*NO

Œ.